



Energy | Chemical/petrochemical industry | Oil & gas | Water/wastewater

# Dial thermometers in the process industry



Smart in sensing

# Our knowledge for your success



Alexander Wiegand,  
Chairman and CEO, WIKA

## About us

As a family-run business acting globally, with 10,000 highly qualified employees, the WIKA group of companies is a worldwide leader in pressure and temperature measurement. The company also sets the standard in the measurement of level, force and flow, and in calibration technology.

Founded in 1946, WIKA is today a strong and reliable partner for all the requirements of industrial measurement technology, thanks to a broad portfolio of high-precision instruments and comprehensive services.

## Excellence in technology and service

With manufacturing locations around the globe, WIKA ensures flexibility and the highest delivery performance. Every year, over 50 million quality products, both standard and customer-specific solutions, are delivered in batches of 1 to over 10,000 units.

With numerous wholly owned subsidiaries and partners, WIKA competently and reliably supports its customers worldwide. Our experienced engineers and sales experts are your competent and dependable contacts locally.

# Global player for mechanical temperature measuring instruments



## Presence in over 80 countries

Think global, act local: WIKA is represented around the world by numerous wholly-owned subsidiaries and other sales agencies. And because we are local, we understand the relevant country-specific requirements, standards and applications. This is how we ensure individual support to our customers.

## This makes us unique

- Global production sites
- Qualified technological know-how
- Unrivalled breadth and depth of products
- Practical expertise in manufacturing processes
- Perfected lean management
- Customer-focused consulting and service



# Quality made by WIKA

## Global production sites

The high-tech production in our owned modern production facilities (Germany, Brazil, China, India, South Africa and USA) is the best guarantee for short delivery times throughout the world. It also enables a high flexibility for country or customer-specific special features. WIKA also stands for excellent quality:

Since 1994 the quality management system has been certified to ISO 9001. The effectiveness of the quality management system is regularly evaluated and improved upon through internal and external audits. Through WIKA's corporate quality standards, uniform and effective worldwide, we set the benchmark here.

## Qualified technological know-how

The 3 technologies, with bimetal coil, expansion and gas-actuated systems are developed, qualified and manufactured in-house by WIKA. With the manufacture of our bimetal thermometers, we apply the highest quality in our choice of raw materials and ensure that the measured value displays are matched individually to the instrument.

Our "Swiss Movement" movements are not only as precise as a Swiss clockwork, but they are also especially robust and durable. These elementary assemblies are the perfect basis for the development of new products. When the product design is defined, the production line is also planned and implemented within WIKA's equipment construction. Finally, the product and process development is extensively qualified within our own test laboratory.


## Unrivalled breadth and depth of products

Our dial indicating thermometers work on the bimetal, expansion or gas actuation principle. This enables scale ranges of  $-200 \dots +700 \text{ }^{\circ}\text{C}$  in different accuracy classes, response times and resilience to environmental influences. Diverse connection designs, stem diameters and individual stem lengths enable a flexible measuring point design.

Dial indicating thermometers with capillaries are particularly versatile. All thermometers are suited for operation in a thermowell if necessary. Accepted around the world, a variety of measuring ranges, process connections, approvals, nominal sizes or liquid fillings are a guarantee for the optimal measuring point design.



# Benefit from our many years of experience



## Practical expertise in manufacturing processes

Manufacturing processes and procedures at WIKA are based on many years of experience. This technical expertise in processes is typically documented within process control plans as well as operating procedures and work instructions. New or modified processes are evaluated with regard to performance and quality and released for manufacturing by process sign-offs.

The core processes in the thermometer production are, for example, 100 % calibration and the adjustment of the instruments. Here, we use various temperature baths in order to cover the full selection of temperature ranges. It is not only the processes that are clearly defined, but also the employees who are appropriately trained.

## Perfected lean management

Production processes are designed and continuously improved in accordance with the WIKA Production System (WPS), based on the KAIZEN philosophy. The environment and energy programme is also refined continuously within the meaning of "continuous improvement". Complex problems are dealt with in a structured way by in-house Black Belts using the Six Sigma Method, thus ensuring lasting solutions.

Through the WPS, we pursue the objective of improving the quality of the products and processes, and thus to achieve the highest possible customer satisfaction through the best quality, the highest delivery reliability as well as attractive delivery times and prices. Customer orientation is at the centre of all our efforts at WIKA.

## Customer-focused consulting and service

Our sales organisation not only offers you standard products, but also our consulting competence for complete measuring assemblies. As a reliable partner in the contractor business, we can support you through all phases of the project, from planning, through the realisation and implementation of the project to technical inspections, logistics solutions, on-site support and after-sales service.

We also offer you a comprehensive range of services in calibration technology through our worldwide subsidiaries which are accredited to country-specific regulations, on-site service of your instruments, calibration equipment and also consulting and training in the field of calibration.

# 7 selection criteria lead you to the right standard product ...



Model	Minimum scale range			Maximum scale range			Nominal size					
	$\geq -60\text{ }^{\circ}\text{C}$	$\geq -70\text{ }^{\circ}\text{C}$	$\geq -200\text{ }^{\circ}\text{C}$	$\leq +400\text{ }^{\circ}\text{C}$	$\leq +600\text{ }^{\circ}\text{C}$	$\leq +700\text{ }^{\circ}\text{C}$	63 mm	80 mm	100 mm	160 mm	3", 4", 5", 6"	
TG53	●	●	○	●	●	○	○	○	○	○	○	●
TG54	●	●	○	●	●	○	●	●	●	●	●	○
55	●	●	○	●	●	○	●	○	●	●	●	○
70 <sup>1)</sup>	●	○	○	●	○	○	●	○	●	●	●	○
73	●	●	●	●	●	●	○	○	●	●	●	○

<sup>1)</sup> Accuracy: Cl. 2 to EN 13190

- possible
- not possible



**Model TG53**  
Bimetal thermometer for the requirements of ASME B40.200



**Model TG54**  
Bimetal thermometer for the requirements of EN 13190



**Model 55**  
Bimetal thermometer with maintenance-friendly bayonet case

4

5

6

7

Remote display		Response time		Accuracy		Special features	
Direct on-site display	Remote display (with capillary)	< 3 min.	> 3 min.	Cl. 1 to EN 13190	±1 % of full scale value, ASME B40.200 (grade A)	Liquid damping	Version with adjustable stem and dial
●	○	○	●	○	●	●	●
●	○	○	●	●	○	●	●
●	○	○	●	●	○	●	●
●	●	○	●	●	○	●	●
●	●	●	○	●	○	●	●



**Model 70**

Expansion thermometer, remote transmission



**Model 73**

Gas-actuated thermometer, fast response characteristics, remote transmission

# The products in detail


These measuring instruments for the process industry are manufactured completely from stainless steel for increased corrosion resistance. They are developed, qualified and process-monitored in production in line with DIN EN 13190. The core components are WIKA's internally developed measuring systems and the Swiss precision movement. For harsh operating conditions, all instruments are also available with liquid filling.

A specific selection of instruments are also available with integrated switch contacts or transmitters. Thus, not only does a measuring point provide an on-site display without the need for a power supply, but also it provides an electrical output signal for monitoring or control.



Mechanical version	Model TG53	Model TG54	Model 55	
Scale range	-70 ... +250 °C to 0 ... 600 °C	-70 ... +250 °C to 0 ... 600 °C	-70 ... +250 °C to 0 ... 600 °C	
Nominal size	3", 4", 5", 6"	63, 80, 100, 160 mm	63, 100, 160 mm	
Remote display (with capillary)	---	---	---	
Response time	> 3 minutes	> 3 minutes	> 3 minutes	
Accuracy class	±1 % of full scale value, ASME B40.200 (grade A)	Cl. 1	Cl. 1	
Special features	<ul style="list-style-type: none"> <li>■ Liquid filling up to max. 250 °C</li> <li>■ Version with adjustable stem and dial</li> <li>■ ATEX version</li> <li>■ External zero adjustment</li> <li>■ Approval DNV-GL</li> </ul>	<ul style="list-style-type: none"> <li>■ Liquid filling up to max. 250 °C</li> <li>■ Version with adjustable stem and dial</li> <li>■ ATEX version</li> <li>■ Approval DNV-GL</li> <li>■ External zero adjustment</li> </ul>	<ul style="list-style-type: none"> <li>■ Liquid filling up to max. 250 °C</li> <li>■ Version with adjustable stem and dial</li> <li>■ ATEX version</li> <li>■ Casing with epoxy resin coating</li> </ul>	
Mechatronic version	---	---	Model TGS58, TGT58	





	Model 70	Model 73
	-60 ... 40 °C to 0 ... 400 °C	-200 ... 50 °C to 0 ... 700 °C
	63, 100, 160 mm	100, 160 mm
	<ul style="list-style-type: none"> <li>■ Up to a max. of 10 m possible</li> <li>■ Protective sleeve for capillary: spiral protective sleeve</li> </ul>	<ul style="list-style-type: none"> <li>■ Up to a max. of 60 m possible</li> <li>■ Protective sleeve for capillary: spiral protective sleeve</li> <li>■ Ø 7 mm or PVC coating</li> </ul>
	> 3 minutes	< 3 minutes
	Cl. 2, optional Cl. 1	Cl. 1
	<ul style="list-style-type: none"> <li>■ Liquid filling up to max. scale range</li> <li>■ Temperature measurement without any contact to the medium</li> <li>■ Version with adjustable stem and dial</li> </ul>	<ul style="list-style-type: none"> <li>■ Liquid filling up to max. scale range</li> <li>■ Version with adjustable stem and dial</li> <li>■ ATEX version</li> <li>■ Temperature measurement without any contact to the medium</li> </ul>
	Model 70-8xx	Model TGS73, TGT73

You can find many more products in the “Mechanical temperature measuring instruments” and “Mechatronic temperature measuring instruments” product reviews at [www.wika.com](http://www.wika.com).

# Temperature measuring instruments with electrical output signal

A temperature measuring instrument with an electrical output signal from the IntelliTHERM® series combines all the advantages of an on-site display (without the need for a power supply) with the requirements of an electrical signal transmission for a measured value registration to the latest technology requirements.

A magnet on the pointer shaft rotates proportionally to the instrument pointer as a direct linear function of the process temperature. The electronics positioned opposite the magnet register the rotary motion of the magnet. A magnetic-field-dependent sensor picks up this change on the electronic side, contact-free, wear-free and without influence on the pressure element. The sensor signal, proportional to the deflection, is converted to an electrical output signal via an amplifier (US patent no. 8.030.990).




**intelliTHERM®**

# Temperature measuring instruments with switch contacts

Switch contacts built into mechanical temperature measuring instruments close or open circuits depending on the process temperature. They can be used for various monitoring functions when a measured value either falls below or exceeds a preset value. Switch contacts are fitted behind the dial and can be set over the entire scale range using the set pointer. The instrument pointer actual value pointer) moves freely across the entire scale range, independent of the setting. The contacts can be adjusted individually, using a removable adjustment key in the window.



**switchTHERM**

For general applications	For hazardous areas	For PLC	For general applications and PLC
Magnetic snap-action contact	Inductive contact	Electronic contact	Reed contact
			
Model 821	Model 831	Model 830 E	Model 851

# Additional services

For all temperature measuring instruments we offer you a wide variety of options, approvals, certificates and also thermowells, ...

- Liquid filling for applications with shocks and vibration
- Complete measuring point design taking all environmental factors into account
- Various mounting and fitting solutions (e.g. clamping ring)
- 2.2 test report to EN 10204 (e.g. state-of-the-art manufacturing, material proof, indication accuracy)
- 3.1 inspection certificate to EN 10204 (e.g. indication accuracy)
- Extensive product certifications such as EAC, GOST, GL
- CE conformity (ATEX, EMC, NSR)
- Thermowell mounting

## Assembly

Temperature measuring instrument model 55 with thermowell model TW31



# Thermowells

## Non-destructive tests

- **Hydrostatic pressure test**  
This test is carried out using external pressure on flanged thermowells, and using an internal pressure test for welded or threaded thermowells. Usually, the pressure tests are with 1.5 times the flange pressure rating for 3 to 15 minutes.
- **Liquid penetrant test**  
This testing is used, in particular, to examine the weld seams for surface defects. In this process, the thermowell is wetted with a low-viscosity indicator, which infiltrates any possible cracks which exist. After being thoroughly cleaned, defects are made visible using a developer.
- **Positive Material Identification (PMI)**  
The PMI (positive material identification) test proves which alloy constituents exist in the material. With X-ray analysis, the atoms of the thermowell material are energised by the X-rays until they radiate themselves. The wavelength and intensity of the emitted radiation is in turn a measure of the alloy's constituent elements and their concentration.

# WIKA worldwide

## Europe

### Austria

WIKA Messgerätevertrieb  
Ursula Wiegand GmbH & Co. KG  
Tel. +43 1 8691631  
info@wika.at / www.wika.at

### Benelux

WIKA Benelux  
Tel. +31 475 535500  
info@wika.nl / www.wika.nl

### Bulgaria

WIKA Bulgaria EOOD  
Tel. +359 2 82138-10  
info@wika.bg / www.wika.bg

### Croatia

WIKA Croatia d.o.o.  
Tel. +385 1 6531-034  
info@wika.hr / www.wika.hr

### Denmark

WIKA Danmark A/S  
Tel. +45 4581 9600  
info@wika.as / www.wika.as

### Finland

WIKA Finland Oy  
Tel. +358 9 682492-0  
info@wika.fi / www.wika.fi

### France

WIKA Instruments s.a.r.l.  
Tel. +33 1 787049-46  
info@wika.fr / www.wika.fr

### Germany

WIKA Alexander Wiegand SE & Co. KG  
Tel. +49 9372 132-0  
info@wika.de / www.wika.de

### Italy

WIKA Italia S.r.l. & C. S.a.s.  
Tel. +39 02 93861-1  
info@wika.it / www.wika.it

### Poland

WIKA Polska spółka z ograniczoną  
odpowiedzialnością sp. k.  
Tel. +48 54 230110-0  
info@wikapolska.pl  
www.wikapolska.pl

### Romania

WIKA Instruments Romania S.R.L.  
Tel. +40 21 4048327  
info@wika.ro / www.wika.ro

### Russia

AO "WIKA MERA"  
Tel. +7 495-648018-0  
info@wika.ru / www.wika.ru

### Serbia

WIKA Merna Tehnika d.o.o.  
Tel. +381 11 2763722  
info@wika.rs / www.wika.rs

### Spain

Instrumentos WIKA S.A.U.  
Tel. +34 933 9386-30  
info@wika.es / www.wika.es

### Switzerland

WIKA Schweiz AG  
Tel. +41 41 91972-72  
info@wika.ch / www.wika.ch

### Türkiye

WIKA Instruments  
Endüstriyel Ölçüm Cihazları Tic. Ltd. Şti.  
Tel. +90 216 41590-66  
info@wika.com.tr  
www.wika.com.tr

### Ukraine

TOV WIKA Prylad  
Tel. +38 044 496 83 80  
info@wika.ua / www.wika.ua

### United Kingdom

WIKA Instruments Ltd  
Tel. +44 1737 644-008  
info@wika.co.uk / www.wika.co.uk

## North America

### Canada

WIKA Instruments Ltd.  
Tel. +1 780 4637035  
info@wika.ca / www.wika.ca

### USA

WIKA Instrument, LP  
Tel. +1 770 5138200  
info@wika.com / www.wika.us

### Gayesco-WIKA USA, LP

Tel. +1 512 3964200  
info@wikahouston.com  
www.wika.us

### Mensor Corporation

Tel. +1 512 3964200  
sales@mensor.com  
www.mensor.com

## Latin America

### Argentina

WIKA Argentina S.A.  
Tel. +54 11 5442 0000  
ventas@wika.com.ar  
www.wika.com.ar

### Brazil

WIKA do Brasil Ind. e Com. Ltda.  
Tel. +55 15 3459-9700  
vendas@wika.com.br  
www.wika.com.br

### Chile

WIKA Chile S.p.A.  
Tel. +56 9 4279 0308  
info@wika.cl / www.wika.cl

### Colombia

Instrumentos WIKA Colombia S.A.S.  
Tel. +57 601 7021347  
info@wika.co / www.wika.co

### Mexico

Instrumentos WIKA Mexico S.A. de C.V.  
Tel. +52 55 50205300  
ventas@wika.com / www.wika.mx

## Asia

### China

WIKA Instrumentation Suzhou Co., Ltd.  
Tel. +86 512 6878 8000  
info@wika.cn / www.wika.com.cn

### India

WIKA Instruments India Pvt. Ltd.  
Tel. +1800-123-101010  
info@wika.com.in / www.wika.com.in

### Japan

WIKA Japan K. K.  
Tel. +81 3 5439-6673  
info@wika.co.jp / www.wika.co.jp

### Kazakhstan

TOO WIKA Kazakhstan  
Tel. +7 727 225 9444  
info@wika.kz / www.wika.kz

### Korea

WIKA Korea Ltd.  
Tel. +82 2 869-0505  
info@wika.co.kr / www.wika.co.kr

### Malaysia

WIKA Instrumentation (M) Sdn. Bhd.  
Tel. +60 3 5590 6666  
info@wika.my / www.wika.my

### Philippines

WIKA Instruments Philippines Inc.  
Tel. +63 2 234-1270  
info@wika.ph / www.wika.ph

### Singapore

WIKA Instrumentation Pte. Ltd.  
Tel. +65 6844 5506  
info@wika.sg / www.wika.sg

### Taiwan

WIKA Instrumentation Taiwan Ltd.  
Tel. +886 3 420 6052  
info@wika.tw / www.wika.tw

### Thailand

WIKA Instrumentation Corporation  
(Thailand) Co., Ltd.  
Tel. +66 2 326 6876  
info@wika.co.th / www.wika.co.th

### Uzbekistan

WIKA Instrumentation FE LLC  
Tel. +998 71 205 84 30  
info@wika.uz / www.wika.uz

## Africa/Middle East

### Botswana

WIKA Instruments Botswana (Pty) Ltd.  
Tel. +267 3110013  
info@wika.co.bw / wika.co.bw

### Egypt

WIKA Near East Ltd.  
Tel. +20 2 240 13130  
info@wika.com.eg / www.wika.com.eg

### Namibia

WIKA Instruments Namibia Pty Ltd.  
Tel. +26 4 61238811  
info@wika.com.na / www.wika.com.na

### Nigeria

WIKA WEST AFRICA LIMITED  
Tel. +234 17130019  
info@wika.com.ng / www.wika.ng

### Saudi Arabia

WIKA Saudi Arabia LLC  
Tel. +966 53 555 0874  
info@wika.sa / www.wika.sa

### South Africa

WIKA Instruments Pty. Ltd.  
Tel. +27 11 62100-00  
sales@wika.co.za / www.wika.co.za

### United Arab Emirates

WIKA Middle East FZE  
Tel. +971 4 883-9090  
info@wika.ae / www.wika.ae

## Australia

### Australia

WIKA Australia Pty. Ltd.  
Tel. +61 2 88455222  
sales@wika.com.au / www.wika.com.au

### New Zealand

WIKA Instruments Limited  
Tel. +64 9 8479020  
info@wika.co.nz / www.wika.co.nz

**WIKA Alexander Wiegand SE & Co. KG**  
Alexander-Wiegand-Straße 30 | 63911 Klingenberg | Germany  
Tel. +49 9372 132-0 | info@wika.de | www.wika.de

14131052\_07/2024 EN



You can find further  
information here!



Smart in sensing

www.wika.com